

MATERIAL SAFETY DATA SHEET

Slide products, Inc. 430 s. Wheeling road Wheeling, II 60090

PRODUCT NAME: SLIDE SILICONE REMOVER

Emergency telephone: 800-535-5053

Information telephone: 847-541-7220

Fax number: 847-541-7986

Prepared by: Jim Armstrong

Revision date: 9-1-06

Product number: 43016

D.U.N.S. Number: 00-299-4168

** this MSDS pertains to both 43016(pints) as well as 43001(05) - (gallons) **

SECTION I. IDENTIFICATION

Chemical name: non-ionic surfactant- poly (oxyethylene/oxypropylene) glycol

Chemical family: aliphatic HC derivative

Formula: 43016

Synonyms:

Dot hazard classification: non-hazardous liquid

Dot shipping name: none needed

Chemical abstract registry number: proprietary blend

Identification number: none

H.M.I.S. Rating: 1,0,0,a

SECTION II. PHYSICAL DATA

Boiling point: not established Freezing point: 15 degrees f. Specific gravity (h20 =1): 1.03 Weight per gallon @ 60 f.: 8.59

Vapour pressure @ 70 f. (mm hg): not established Vapour density (air = 1): product is non-volatile



53 route des contamines - 74370 Argonay Tél : 33/(0)4 50 27 29 00 - Fax : 33/(0)4 50 27 38 22 info@bmsfrance.eu - www.bmsfrance.eu

> Per cent volatile by volume: 0 Evaporation rate (minutes): N/A

Appearance and odour: clear liquid, slight surfactant odour

SECTION III. HAZARDOUS INGREDIENTS

Material: approx. Volume %: TLV(units):

No known hazardous materials present

contains no ozone depleting chemicals

SECTION IV. FIRE AND EXPLOSION HAZARD DATA

Flammable limits in air: LEL: N/A UEL: N/A (volume %)

Flash point: 250 degrees f.

Extinguishing media: a,b,c, all class powder

Special fire fighting procedures: none
Unusual fire & explosion hazards: none

SECTION V. REACTIVITY DATA

Stability: stable

Incompatibility (materials to avoid): strong oxidizing agents

Hazardous combustion by-products:

Hazardous polymerization: will not occur

Conditions to avoid: none

SECTION VI. HEALTH HAZARD DATA

Threshold limit value: not established

• EFFECTS OF OVEREXPOSURE *

Inhalation: N/A

Skin contact: may cause irritation Eye contact: temporary irritant

• EMERGENCY AND FIRST AID PROCEDURES *

Skin: wash with soap and water, apply hand cream

Inhalation: N/A

Eyes: wash thoroughly with cold clean water for 15 minutes



53 route des contamines - 74370 Argonay Tél : 33/(0)4 50 27 29 00 - Fax : 33/(0)4 50 27 38 22 info@bmsfrance.eu - www.bmsfrance.eu

Consult physician immediately if irritation persists.

SECTION VII. SPILL OR LEAK PROCEDURES

Steps to be taken if material is released or spilled: use absorbent compound to remove or flush into sewer as permitted

Waste disposal method: incinerate or landfill as permitted by local, state or federal regulations.

SECTION VIII. SPECIAL PROTECTION INFORMATION

Respiratory protection (specify type): not needed

Ventilation: N/A

Protective gloves: may be used

Eye protection: proper eye care should be practiced in all industrial operations.

Other protective equipment: as required by your company

SECTION IX. SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing: store indoors, avoid freezing.

Store at temperatures below 120' F.

Other precautions: none

This data is offered in good faith at typical values and not as a product specification. No warranty, express or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use, and determine whether they are appropriate.

The information contained in this material safety data sheet is believed to be correct as of this date. The regulations promulgated by OSHA for hazard communication, 29 CFR 1910.1200, as well as several state and local laws and regulations, have been consulted in preparing this M.S.D.S.

Http://www.slideproducts.com/cleaners.htm